

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| 1        | 2706  | 385/147   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:44 |
| 2        | 2     | 385/148   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:47 |
| 3        | 225   | 102/201   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:48 |
| 4        | 501   | 220/240   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:48 |
| 5        | 368   | 220/361   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:51 |
| 6        | 421   | 385/138   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:51 |
| 7        | 999   | 385/139   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:51 |
| 8        | 4857  | 385/147 or 102/201 or 220/240 or 220/361 or 385/138 or 385/139  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:52 |
| 9        | 73817 | pressure near2 vessel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:52 |
| 10       | 123   | (385/147 or 102/201 or 220/240 or 220/361 or 385/138 or 385/139) and (pressure near2 vessel)                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:52 |
| 11       | 35    | (optic\$3 near3 fiber) and ((385/147 or 102/201 or 220/240 or 220/361 or 385/138 or 385/139) and (pressure near2 vessel)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:52 |
| 12       | 6     | ceramic near3 adhesive near3 plug   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:52 |

|    |       |   |   |                  |
|----|-------|---|---|------------------|
| 13 | 1     | ((optic\$3 near3 fiber) and ((385/147 or 102/201 or 220/240 or 220/361 or 385/138 or 385/139) and (pressure near2 vessel))) and (ceramic near3 adhesive near3 plug)               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:53 |
| 14 | 1509  | 385/137   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:53 |
| 15 | 1738  | 385/134   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:53 |
| -  | 66627 | pressure near2 vessel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:52 |
| -  | 3893  | (pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 08:37 |
| -  | 820   | ((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and cavity  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 08:37 |
| -  | 2369  | ((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 09:34 |
| -  | 124   | ((((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)) and (optic\$2 near3 fiber)            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:03 |
| -  | 54    | (((((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)) and (optic\$2 near3 fiber)) and plug | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/13 09:03 |
| -  | 1085  | 385/147.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 08:42 |
| -  | 4     | 385/147.ccls. and (pressure near2 vessel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 08:44 |
| -  | 0     | us-322485-\$.did.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 08:45 |

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 1     | us-3224851-\$.did.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 08:49 |
| - | 3     | 3224851.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 08:45 |
| - | 22    | 3224851.URPN.   | USPAT   | 2002/04/04 08:46 |
| - | 917   | (pressure near2 vessel) and (optic\$2 near3 fiber)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 08:49 |
| - | 58    | ((pressure near2 vessel) and (optic\$2 near3 fiber))<br>and (hydrostatic) and temperature                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:05 |
| - | 21    | ((((pressure near2 vessel) and (optic\$2 near3<br>fiber)) and (hydrostatic) and temperature) and<br>plug                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:04 |
| - | 10    | (((((pressure near2 vessel) and (optic\$2 near3<br>fiber)) and (hydrostatic) and temperature) and<br>plug) and ceramic  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 09:32 |
| - | 84    | (pressure near2 vessel) and (ceramic near5 (glue<br>or adhes\$4))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 13:49 |
| - | 10    | ((pressure near2 vessel) and (ceramic near5 (glue<br>or adhes\$4))) and (optic\$2 near3 fiber)                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 09:35 |
| - | 1     | ((((pressure near2 vessel) and (optic\$2 near3<br>fiber)) and (hydrostatic) and temperature) and<br>stopper             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 10:42 |
| - | 15882 | (pressure near2 vessel) and steel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 10:43 |
| - | 0     | ((((pressure near2 vessel) and (optic\$2 near3<br>fiber)) and (hydrostatic) and temperature) and<br>(plug near10 steel) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 10:43 |
| - | 2856  | (pressure near2 vessel) and (steel near10 (plug or<br>case or casing or housing or enclosure or tube))                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 10:46 |

|   |        |   |   |                  |
|---|--------|---|---|------------------|
| - | 6      | ((pressure near2 vessel) and (steel near10 (plug or case or casing or housing or enclosure or tube))) and (ceramic near5 (glue or adhes\$4))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 10:46 |
| - | 5551   | (pressure near2 vessel) and plug  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 13:51 |
| - | 13     | ((pressure near2 vessel) and plug) and (ceramic near5 (glue or adhes\$4))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:05 |
| - | 3      | ((((pressure near2 vessel) and plug) and (ceramic near5 (glue or adhes\$4))) and (hydrostatic) and temperature  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 13:53 |
| - | 3049   | ((pressure near2 vessel) and plug) and (fiber or lead or input or output)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 13:53 |
| - | 170    | ((((pressure near2 vessel) and plug) and (fiber or lead or input or output)) and (hydrostatic) and temperature  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 13:59 |
| - | 145419 | pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:01 |
| - | 2289   | (pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)) and (optic\$2 near3 fiber)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:03 |
| - | 380    | ((pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)) and (optic\$2 near3 fiber)) and plug   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:04 |
| - | 0      | (((((pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)) and (optic\$2 near3 fiber)) and plug) and (hydrostatic) and temperature) and (ceramic near5 (glue or adhes\$4)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:06 |
| - | 35     | ((((pressure near2 (vessel or crucible or tank or tube or tub or receptacle or vat)) and (optic\$2 near3 fiber)) and plug) and (hydrostatic) and temperature  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/04/04 14:06 |
| - | 3      | 4773724.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/13 08:35 |

|   |         |  |   |                  |
|---|---------|--|---|------------------|
| - | 65      | (((((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)) and (optic\$2 near3 fiber)) and plug  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/13 09:09 |
| - | 19      | (((((pressure near2 vessel) and ((tub\$5 or cylind\$4) near5 (housing or casing or structure or enclosure))) and (cavity or hole or hollow)) and (optic\$2 near3 fiber)) and plug) and cap   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/13 09:38 |
| - | 17      | arab-sadeghabadi.in.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/13 09:38 |
| - | 3       | ("4214809"   "4345816"   "4385797").PN.  | USPAT   | 2002/08/13 10:21 |
| - | 4       | 4834479.URPN.  | USPAT   | 2002/08/13 10:23 |
| - | 2126    | 385/147  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/13 12:04 |
| - | 2       | 385/148  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/13 12:04 |
| - | 19      | (2547521, 3381842, 3344912, 4226327, 3358902, "3410442").pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/02/06 16:18 |
| - | 192     | (ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:12 |
| - | 124729  | (high near4 temperature) and (high near4 pressure)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 10:38 |
| - | 5599617 | case or casing or housing or vessel or pacakg\$3 or assembly   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 10:45 |
| - | 19      | ((ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop)) and ((high near4 temperature) and (high near4 pressure)) and (case or casing or housing or vessel or pacakg\$3 or assembly)                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 10:47 |
| - | 287350  | optic\$3 near3 fiber   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 10:48 |
| - | 5       | ((((ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop)) and ((high near4 temperature) and (high near4 pressure)) and (case or casing or housing or vessel or pacakg\$3 or assembly)) and (optic\$3 near3 fiber) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 10:48 |

|   |      |   |   |                  |
|---|------|---|---|------------------|
| - | 2660 | 385/147   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 10:48 |
| - | 2    | 385/148   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:09 |
| - | 5    | ("3556038"   "4169309"   "4930418"   "5212339"   "5234526").PN.   | USPAT   | 2003/11/18 10:53 |
| - | 4    | ("4444516"   "4544233"   "4759601"   "4909588").PN.   | USPAT   | 2003/11/18 10:54 |
| - | 222  | 102/201   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:09 |
| - | 496  | 220/240   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:09 |
| - | 365  | 220/361   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:10 |
| - | 3732 | 385/147 or 385/148 or 102/201 or 220/240 or 220/361   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:10 |
| - | 2244 | (optic\$3 near3 fiber) and (385/147 or 385/148 or 102/201 or 220/240 or 220/361)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:10 |
| - | 1    | ((optic\$3 near3 fiber) and (385/147 or 385/148 or 102/201 or 220/240 or 220/361)) and ((ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:10 |
| - | 1    | (385/147 or 385/148 or 102/201 or 220/240 or 220/361) and ((ceramic near4 adhesi\$3) near4 (plug or stopper or seal or sealing or stop))                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:10 |
| - | 361  | (385/147 or 385/148 or 102/201 or 220/240 or 220/361) and ceramic   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:11 |
| - | 793  | (385/147 or 385/148 or 102/201 or 220/240 or 220/361) and adhesive  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:10 |

|   |         |  |   |                  |
|---|---------|--|---|------------------|
| - | 22      | ((385/147 or 385/148 or 102/201 or 220/240 or 220/361) and ceramic) and ((high near4 temperature) and (high near4 pressure))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:11 |
| - | 11      | ((((385/147 or 385/148 or 102/201 or 220/240 or 220/361) and ceramic) and ((high near4 temperature) and (high near4 pressure)))) and (optic\$3 near3 fiber)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:11 |
| - | 21885   | (ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:12 |
| - | 111     | ((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:13 |
| - | 3       | (385/147 or 385/148 or 102/201 or 220/240 or 220/361) and (((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:13 |
| - | 2161418 | cyлинд\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:13 |
| - | 701948  | cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:15 |
| - | 73      | ((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)))                            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:15 |
| - | 62      | (((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)))) and cavity               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:16 |
| - | 0       | (((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)))) and cavity) and diamter  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:16 |
| - | 62      | (((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cyлинд\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly)))) and cavity) and diameter | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:17 |

|   |        |   |   |                  |
|---|--------|---|---|------------------|
| - | 1      | ((((((ceramic near4 (adhesi\$3 or plug or stopper or seal or sealing or stop))) and ((high near4 temperature) and (high near4 pressure)) and (optic\$3 near3 fiber)) and (cylind\$5 same (case or casing or housing or vessel or pacakg\$3 or assembly))) and cavity) and diameter) and (385/147 or 385/148 or 102/201 or 220/240 or 220/361) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/11/18 11:17 |
| - | 73817  | pressure near2 vessel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 10:09 |
| - | 293369 | optic\$3 near3 fiber  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:52 |
| - | 6      | ceramic near3 adhesive near3 plug   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/21 13:52 |